

Real Estate Investments

NORTHERN QUALITY
REGIONAL OFFICE
MOODBRIDGE, VA

17 May 2012

VA DEQ Northern Regional Office 13901 Crown Court Woodbridge, VA 22193-1453

Re: Hiway MHC, LLC – Permit No. VA0074942

Permit Reissuance Package

To Whom it May Concern,

Please find attached a permit reissuance package for VA0074942-Hiway MHC LLC STP. The completed forms include the following:

- 1. EPA Form 2A
- 2. VPDES Sewage Sludge Permit Application Form
- 3. VPDES Application Addendum
- 4. Public Notice Billing Information Form
- 5. Permit Billing Information Form

Please consider this transmittal letter as a formal request for a monitoring waiver for fecal coliform monitoring and effluent temperatures monitoring. (Form 2A monitoring data). The facility utilizes chlorination for final disinfection. The existing permit requirements include contact tank TRC monitoring prior to dechlorination to assure adequate disinfection is achieved and currently there is no monitoring requirement for temperature monitoring. The effluent produced does not exceed natural ambient temperatures. The facility does not monitor the effluent for fecal coliform.

If you have any questions regarding any of the attached information, please do not hesitate to call.

Sincerely,

Matthew Raynor Environmental Director

VPDES/VPA Permit Billing Information Form for Annual Maintenance Fee

Facility Name:	Hiway MHC LLC STP
Permit Number:	VA0074942
Tax Payer ID (Federal Identification Number):	
Social Security Number if no Tax Payer ID:	
Owner Name:	Hiway MHC LLC
Owner Address:	10006 Hammock Bend
	Chapel Hill, NC 27517
Billing Contact Name:	Matthew Raynor
Title:	Environmental Director
Phone Number:	919 960-5739
	Tarmatt@aol.com
E-Mail Address:	

PUBLIC NOTICE BILLING INFORMATION

*	below. The public notice will be published once a week in accordance with 9 VAC 25-31-
Agent/Department to be billed:	Matthew Raynor
Owner:	Hiway MHC LLC
Agent/Department Address:	10006 Hammock Bend
· · · · · · · · · · · · · · · · · · ·	Chapel Hill NC 27517
-	
Agent's Telephone No.:	919-960-5739
Printed Name:	Matthew Raynor
Authorizing Agent – Signature:	huss.
Date: _	17 May 2012

VPDES Permit No. VA0074942 Hiway MHC LLC

VPDES Permit Application Addendum

1.	Entity to whom the permit is to be issued: <u>Hiway MHC, LLC</u> Who will be legally responsible for the wastewater treatment facilities and compliance with the permit? This may or may not be the facility or property owner.
2.	Is this facility located within city or town boundaries? Y/N No
3.	Provide the tax map parcel number for the land where the discharge is located. /20//////31A/
4.	For the facility to be covered by this permit, how many acres will be disturbed during the next five years due to new construction activity? $\underline{0}$
5.	What is the design average flow if this facility? <u>0.012MGD</u> For industrial facilities provide the max 30 day average production level, include units:
	In addition to the design flow or production level, should the permit be written with limits for any other discharge flow tiers or production levels? Y/N \underline{No}
	If "Yes", please identify the other flow tiers (in MDG) or production levels:
6.	Nature of operations generating wastewater: Residential Community
	100 % of flow from domestic connections/sources Number of private residences to be served by the treatment works: 43
7.	Mode of discharge: X Continuous Intermittent Seasonal Describe the frequency and duration of intermittent or seasonal discharges:
8.	Identify the characteristics of the receiving stream at the point just above the facility's discharge point: Permanent stream, never dry Intermittent stream, usually flowing, sometimes dry Ephemeral stream, wet weather flow, often dry Effluent-dependent stream, usually or always dry without effluent flow Lake or pond at or below the discharge point Other:
9.	Approval Date(s): O & M Manual : Oct. 3, 2003 Sludge/Solids Management Plan: Included in O & M and previously April 16, 2002 – Loudoun County acceptance letter is dated June 5, 2002

Have there been any changes in your operations or procedures since the above approval dates? Y/N $\underline{\text{No}}$

Hiway MHC STP VPDES VA0074942

Form Approved 1/14/99 OMB Number 2040-0086

FORM 2A

NPDES FORM 2A APPLICATION OVERVIEW

NPDES

APPLICATION OVERVIEW

Form 2A has been developed in a modular format and consists of a "Basic Application Information" packet and a "Supplemental Application Information" packet. The Basic Application Information packet is divided into two parts. All applicants must complete Parts A and C. Applicants with a design flow greater than or equal to 0.1 mgd must also complete Part B. Some applicants must also complete the Supplemental Application Information packet. The following items explain which parts of Form 2A you must complete.

BASIC APPLICATION INFORMATION:

- A. Basic Application Information for all Applicants. All applicants must complete questions A.1 through A.8. A treatment works that discharges effluent to surface waters of the United States must also answer questions A.9 through A.12.
- B. Additional Application Information for Applicants with a Design Flow ≥ 0.1 mgd. All treatment works that have design flows greater than or equal to 0.1 million gallons per day must complete questions B.1 through B.6.
- C. Certification. All applicants must complete Part C (Certification).

SUPPLEMENTAL APPLICATION INFORMATION:

- D. Expanded Effluent Testing Data. A treatment works that discharges effluent to surface waters of the United States and meets one or more of the following criteria must complete Part D (Expanded Effluent Testing Data):
 - 1. Has a design flow rate greater than or equal to 1 mgd,
 - 2. Is required to have a pretreatment program (or has one in place), or
 - 3. Is otherwise required by the permitting authority to provide the information.
- E. Toxicity Testing Data. A treatment works that meets one or more of the following criteria must complete Part E (Toxicity Testing Data):
 - 1. Has a design flow rate greater than or equal to 1 mgd,
 - 2. Is required to have a pretreatment program (or has one in place), or
 - 3. Is otherwise required by the permitting authority to submit results of toxicity testing.
- F. Industrial User Discharges and RCRA/CERCLA Wastes. A treatment works that accepts process wastewater from any significant industrial users (SIUs) or receives RCRA or CERCLA wastes must complete Part F (Industrial User Discharges and RCRA/CERCLA Wastes). SIUs are defined as:
 - All industrial users subject to Categorical Pretreatment Standards under 40 Code of Federal Regulations (CFR) 403.6 and 40 CFR Chapter I, Subchapter N (see instructions); and
 - 2. Any other industrial user that:
 - a. Discharges an average of 25,000 gallons per day or more of process wastewater to the treatment works (with certain exclusions); or
 - b. Contributes a process wastestream that makes up 5 percent or more of the average dry weather hydraulic or organic capacity of the treatment plant; or
 - c. Is designated as an SIU by the control authority.
- **G.** Combined Sewer Systems. A treatment works that has a combined sewer system must complete Part G (Combined Sewer Systems).

ALL APPLICANTS MUST COMPLETE PART C (CERTIFICATION)

Hiway MHC STP VPDES VA0074942

BASIC APPLICATION INFORMATION

PAF	RT A. BASIC APPL	ICATION INFO	ORMATION FOR ALL A	PPLICANTS:				
All t	reatment works mus	complete ques	tions A.1 through A.8 of t	his Basic Application Information page	sket.			
A.1.	Facility Information	l.						
	Facility name	Hiway MHC						
	Mailing Address	10006 Hamm	ock Bend, Chapel Hill, N	IC 27517				
	Contact person	Matthew E. R.	aynor					
	Title	Environmenta	l Director					
	Telephone number	(919) 960-573	99					
	Facility Address (not P.O. Box)	14489 James	Monroe Hwy, Leesburg,	VA 20176				
A.2.	Applicant Informati	on. If the applica	ant is different from the abo	ve, provide the following:				
	Applicant name	***************************************						
	Mailing Address	***************************************						
	Contact person							
	•							
	Title							
	Telephone number							
		•	tor (or both) of the treatm	ent works?				
	owner		operator	a directed to the facility or the applicant				
	facility	respondence reg	anding this permit should be applicant	e directed to the facility or the applicant.				
A.3.	-	ental Permits P	•	f any existing environmental permits tha	at have been issued to the treatment			
1.0.	works (include state		Tovide the permit ridhiber o	any existing environmental permits the	terrave been issued to the treatment			
	NPDES VA00749	942		PSD				
	UIC	***************************************		Other				
	RCRA			Other				
A.4.				palities and areas served by the facility. ection system (combined vs. separate) a				
	Name		Population Served	Type of Collection System	Ownership			
	Hiway MHC	Maria	120	Separated	Hiway MHC			
			NAME OF THE OWNER OWNER OF THE OWNER					
	Total po	pulation served	120					

FACILITY NAME AND PERMIT NUMBER:						
	EACH	ITV N	A REC A	CHAI	DEDMIT	AH HADED.

Hiway MHC STP VPDES VA0074942

Form Approved 1/14/99 OMB Number 2040-0086

A.5.											
	Ind	lian Country.									
	a.	Is the treatment works	located in Ind	ian Cou	ntry?						
		Yes		_ No							
	b.	Does the treatment wo through) Indian Countr	orks discharge	to a rec	eiving water that is	either in Indian C	ountry or that i	s upstream	from (and	l eventually	/ flows
		Yes	, ·	No							
			-	- '''							
A.6.	ave	w. Indicate the design erage daily flow rate and iod with the 12th month	l maximum da	ily flow i	rate for each of the I	ast three years.	Each year's da	ata must be	based on). Also pro a 12-mont	vide the h time
	a.	Design flow rate	0.012	mgd							
					Two Years Ago	Last Ye	<u>ar</u>	This	Year		
	b.	Annual average daily fl	low rate		0.0	007	0.00)7		0.007	mgd
	C.	Maximum daily flow rat	te	*****	0.0	017	0.0	LZ	· · · · · · · · · · · · · · · · · · ·	0.01	mgd
A.7.	Co	llection System. Indica	ate the type(s)	of colle	ction system(s) use	d by the treatmer	nt plant. Checl	call that app	oly. Also	estimate th	e percen
	cor	ntribution (by miles) of e	ach.								
		Separate sanitary	y sewer							100	%
		Combined storm	and sanitary	sewer				***************************************		0	%
A.8.	Dis	charges and Other Dis	sposal Metho	ds.							
	_	Doos the treatment we	rka diaaharaa	offluont	to waters of the LLC			√ Ye			NI-
	a.	Does the treatment wo	•				ant works woo		S	***************************************	No
		Discharges of treat		unownig	types or discriarge [Joints the deathr	ent works uses	·.	001		
		ii. Discharges of untr		ally troot	ed effluent				0		
		iii. Combined sewer of	•	•	ca cinacin				0		
		iv. Constructed emerg	•		to the headworks)				0		
		v. Other	goney overnor	vo (prior	to the negations,				0		*****
					VIO. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.				<u> </u>		
	b.	Does the treatment wo impoundments that do						V		./	N.I
		•			· ·	i tile U.S.?		Ye	S		No
		If yes, provide the follo Location:	wing <u>ior each</u>	Surrace	ппроанатель.						
		Annual average daily v	rolume discha	raed to s	surface impoundmen	nt(s)	······································		0.00	z mgd	
		Is discharge	continuo	-	•	• •	***************************************			_ mgu	
				.00 0.	***************************************	ttorit:					
	C.	Does the treatment wo	rks land-apply	/ treated	wastewater?			Ye	es	$\overline{}$	No
		If yes, provide the follo	wing <u>for each</u>	land ap	plication site:						
		Location:	TO POLICE STATE OF THE STATE OF		***************************************	 					
		Number of acres:									
		Annual average daily v	olume applied	d to site:	######################################	***************************************	Mgd				
		Is land application			s or i	ntermittent?					
		To tarra spipments.	co	ontinuou		ino.macoric.					

Form Approved 1/14/99 OMB Number 2040-0086

FACILITY NAME AND PERMIT NUMBER:

Hiway MHC STP VPDES VA0074942

If transport is by a party other than the applicant, provide:
Transporter name:
Mailing Address:
Contact person:
Title:
Telephone number:
For each treatment works that receives this discharge, provide the following:
Name:
Mailing Address:
Contact person:
Title:
Telephone number:
Telephone number: If known, provide the NPDES permit number of the treatment works that receives this discharge.
If known, provide the NPDES permit number of the treatment works that receives this discharge.
If known, provide the NPDES permit number of the treatment works that receives this discharge. Provide the average daily flow rate from the treatment works into the receiving facility. Does the treatment works discharge or dispose of its wastewater in a manner not included in
If known, provide the NPDES permit number of the treatment works that receives this discharge. Provide the average daily flow rate from the treatment works into the receiving facility. Does the treatment works discharge or dispose of its wastewater in a manner not included in A.8.a through A.8.d above (e.g., underground percolation, well injection)? Yes No

FACILITY NAME AND PERMIT NUMBER:	Form Approved 1/14/99
	OMB Number 2040-0086

Hiway MHC STP VPDES VA0074942

WASTEWATER DISCHARGES:

If you answered "yes" to question A.8.a, complete questions A.9 through A.12 once for each outfall (including bypass points) through which effluent is discharged. Do not include information on combined sewer overflows in this section. If you answered "no" to question A.8.a, go to Part B, "Additional Application Information for Applicants with a Design Flow Greater than or Equal to 0.1 mgd."

s. De	scription of Outfall.		
a.	Outfall number	001	
b.	Location	Lucketts	20176
		(City or town, if applicable) Loudon	(Zip Code) Virginia
		(County) 39*12'50.30"North	(State) 77*32"11.10"West
		(Latitude)	(Longitude)
C.	Distance from shore	e (if applicable)	ft.
d.	Depth below surface	e (if applicable)	ft.
e.	Average daily flow r	ate	0.007 mgd
-	,		
f.	Does this outfall have periodic discharge?	ve either an intermittent or a	
	periodic discharge:		Yes No (go to A.9.g.)
	If yes, provide the fo	ollowing information:	
	Number of times pe	r year discharge occurs:	
	Average duration of		**************************************
	Average flow per di		mgd
	Months in which dis	charge occurs:	-
g.	Is outfall equipped v	vith a diffuser?	Yes No
.10. De	escription of Receivi	ng Waters.	
a.	Name of receiving v	vater Limestone Br	anch, UT
b.	Name of watershed	(if known)	Potomac River
	United States Soil C	Conservation Service 14-digit v	vatershed code (if known):
C.	Name of State Man	agement/River Basin (if knowr	ı):
	United States Geolo	ogical Survey 8-digit hydrologi	c cataloging unit code (if known):
d.	Critical low flow of r	receiving stream (if applicable)	
	acute	cfs	chronic cfs
			low (if applicable): mg/l of CaCO ₃

Hiway MHC STP VPDES VA0074942

4.11. De	scription of Tr	eatment.									
a.	What levels of	treatment a	are provided	d? Check	all that a	pply.					
	P	rimary			Secor	ndary					
	A	dvanced			Other	. Describe:	•		-		
b.	Indicate the fo	llowing rem	oval rates (as applica	ble):						
	Design BOD ₅	removal <u>or</u> l	Design CBC	DD ₅ remov	ral		90		%		
	Design SS rer	noval					90		%		
	Design P rem	oval					N/A		%		
	Design N rem	oval					N/A		 %		
	Other						**************************************		%		
		liainfaction i	is used for t	ha offluon	t from th	is outfall? If dis	infaction varia	2 by 22222			
C.	Calcium chl		s used for t	ne emuen	t itOiti tit	is outlair it uis	annection varie	s by season, p	nease descrit	e.	
	-							/			
	If disinfection	•	•		n used f	or this outfall?			es		_ No
d.	Does the treat	ment plant	have post a	eration?				Y	es _		_ No
pa <u>dis</u> co of At	rameters. Prov scharged. Do lected through 40 CFR Part 13	ride the ind not include n analysis o 36 and othe	icated efflu informatio conducted er appropri	uent testion on com using 40 ate QA/Q0	ng requi ibined s CFR Pa C requir	red by the per ewer overflow rt 136 method ements for sta	rs in this sect s. In additior andard metho	ority <u>for each</u> ion. All inform this data m ds for analyte	outfall throu nation report ust comply w es not addres	gh whited must with QA ssed by	ch effluent is st be based on da /QC requirements y 40 CFR Part 136 ne-half years apa
pa <u>dis</u> co of At	rameters. Prov scharged. Do i illected through 40 CFR Part 13 a minimum, ef	ride the ind not include n analysis o 36 and othe fluent testi	icated efflu informatio conducted er appropri	uent testion on com using 40 ate QA/Qo ust be bas	ng requi ibined s CFR Pa C requir sed on a	red by the per ewer overflow rt 136 method ements for sta	mitting authors in this sect s. In addition and methors in addition and methors in the section and architectures.	ority <u>for each</u> ion. All inforr i, this data me ds for analyte nust be no me	outfall throu nation report ust comply w es not addres	gh which ded mus with QA ssed by and or	ch effluent is st be based on da /QC requirements y 40 CFR Part 136 ne-half years apa
pa <u>dis</u> co of At	rameters. Province and the control of the control o	ride the ind not include n analysis o 36 and othe fluent testi	icated efflu informatio conducted er appropri	uent testion on com using 40 ate QA/Qo ust be bas	ng requi ibined s CFR Pa C requir sed on a	red by the per ewer overflow rt 136 method ements for sta t least three s	mitting authors in this sect s. In addition and methors in addition and methors in the section and architectures.	ority <u>for each</u> ion. All inforr , this data m ds for analyte nust be no m	outfall throu nation report ust comply w es not addres ore than four	gh whited must with QA ssed by and or	ch effluent is st be based on da /QC requirements y 40 CFR Part 136 ne-half years apa
pa dis co of At	rameters. Provectors of the control	ride the ind not include n analysis o 36 and othe fluent testi	icated efflu informatio conducted er appropri	uent testii on on com using 40 ate QA/Qu ust be bas MAXIN Value	ng requi ibined s CFR Pa C requir sed on a	red by the per ewer overflow rt 136 method ements for sta it least three s - ILY VALUE	mitting authors in this sect s. In addition and metho amples and n	ority <u>for each</u> ion. All inforr , this data m ds for analyte nust be no m	outfall through action report ust comply we see not address ore than four RAGE DAILY	gh whited must with QA ssed by and or	ch effluent is st be based on da /QC requirements y 40 CFR Part 136 ne-half years apa
pa dis co of At Ou	rameters. Province of the control of	ride the ind not include n analysis o 36 and othe fluent testi	icated effluinformatio	MAXIN Value	ng requi ibined s CFR Pa C requir sed on a	red by the per ewer overflow rt 136 method ements for sta t least three s	mitting authors in this sect s. In addition and metho amples and n	ority <u>for each</u> ion. All inforr , this data m ds for analyte nust be no m	outfall through action report ust comply we see not address ore than four RAGE DAILY	gh whited must with QA ssed by and or	ch effluent is st be based on da /QC requirements y 40 CFR Part 136 ne-half years apa
pa dis co of At Ou	rameters. Prove the control of the c	ride the ind not include n analysis o 36 and othe fluent testi	icated effluinformatio conducted er appropriang data mu	MAXIN Value	ng requi ibined s CFR Pa C required on a	red by the per ewer overflow rt 136 method ements for state teast three selection of the se	mitting authors in this sect s. In addition and methor amples and n	ority <u>for each</u> ion. All inforr , this data m ds for analyte nust be no m	outfall through mation report ust comply we se not address ore than four RAGE DAILY Units	gh whited must with QA ssed by and or	ch effluent is st be based on da /QC requirements y 40 CFR Part 136 ne-half years apa
pa dis co of At Ou OH (Minio OH (Max	rameters. Prove the control of the c	ride the ind not include n analysis o 36 and othe fluent testi	icated effluinformatio conducted er appropriang data mu	MAXIN Value 89 017	ng requi ibined s CFR Pa C required on a	red by the per ewer overflow rt 136 method ements for state teast three services Units S.U. S.U.	rmitting authors in this sects. In additionand methodard methodamples and methodamples	ority for each ion. All inform, this data mids for analytimust be no m	outfall through mation report ust comply we se not address ore than four RAGE DAILY Units	gh whited mustrith QA ssed by and or	ch effluent is st be based on da /QC requirements y 40 CFR Part 136 ne-half years apa
pa dis co of At Ou DH (Mini- DH (Max Flow Rat Fempera	rameters. Prove the scharged of the cough of	ride the ind not include n analysis (as and other fluent testi	icated effluinformatio conducted er appropria ng data mu	MAXIN Value 89 90 017	ng requi ibined s CFR Pa C required on a	red by the per ewer overflow rt 136 method ements for state teast three services under the services of the ser	rmitting authors in this sects. In additionand methodard methodamples and methodamples	ority for each ion. All inform, this data mids for analytimust be no m	outfall through mation report ust comply we se not address ore than four RAGE DAILY Units	gh whited mustrith QA ssed by and or	ch effluent is st be based on da /QC requirements y 40 CFR Part 136 ne-half years apa
pa dis co of At Ou DH (Mini- DH (Max Flow Rat Fempera	rameters. Prove the control of the c	ride the ind not include n analysis of 36 and other fluent testi	icated effluinformation conducted er appropriang data muse for the conducted er appropriang data er approprian	MAXIN Value 89 90 017	ng required in the second of t	red by the per ewer overflow rt 136 method ements for state teast three service units substituted and substitute substitu	rmitting authors in this sects. In additionand methodard methodamples and methodamples	ority for each ion. All inform, this data mids for analyte nust be no mids. AVE	outfall through nation report ust comply were not addressore than four RAGE DAILY Units GD ANALYTIC	gh whited mustith QA ssed by and or VALUE	ch effluent is st be based on da /QC requirements y 40 CFR Part 136 ne-half years apa
H (Mini-	rameters. Province and the control of the control o	ride the ind not include n analysis of 36 and other fluent testi	icated effluinformation conducted er appropriang data muse for the conducted er appropriang data er approprian	MAXIM Value 89 91 74 Maximum MUM DA SCHARGI	ng required in the second of t	red by the per ewer overflow rt 136 method ements for state teast three service units substituted and substitute substitu	mitting authors in this sects. In addition and method amples and m	ority for each ion. All inform, this data mids for analyte nust be no mids. AVE	outfall through nation report ust comply we see not address ore than four RAGE DAILY Units ANALYTIC METHOI	gh whited mustith QA ssed by and or VALUE	ch effluent is st be based on da /QC requirements y 40 CFR Part 136 ne-half years apa
pa dis co of At Ou OH (Minio OH (Max Flow Rat Fempera * F	rameters. Provischarged. Do in illected through 40 CFR Part 11 a minimum, effected in incomplete in	ride the ind not include n analysis (as and other fluent testi	icated effluinformatio conducted er appropria g data mu 6.3 7.9 0.0 N/ num and a MAX Discond.	MAXIM Value 89 91 7 7 A maximum IMUM DA SCHARGI	ng required in the second of t	red by the per ewer overflow rt 136 method ements for state teast three services and the services are services and the services are services and the services and the services and the services and the services a	rmitting authors in this sects. In addition and method amples amples and method ampl	ority for each ion. All inform, this data mids for analyte nust be no marked by the second by the se	outfall through nation report ust comply we see not address ore than four RAGE DAILY Units ANALYTIC METHOI	gh whited mustith QA ssed by and or VALUE	ch effluent is st be based on da /QC requirements y 40 CFR Part 136 ne-half years apa
pa dis co of At Ou OH (Minio OH (Minio OH (Minio OH (Max * Flow Rat * F	rameters. Province and the control of the control o	ride the ind not include n analysis (as and other fluent testi	icated effluinformatio conducted er appropria g data mu 6.3 7.9 0.0 N/ num and a MAX Discond.	MAXIM Value 89 91 7 7 A maximum IMUM DA SCHARGI	ng required in the second of t	red by the per ewer overflow rt 136 method ements for state teast three services and the services are services and the services are services and the services and the services and the services and the services a	rmitting authors in this sects. In addition and method amples amples and method ampl	ority for each ion. All inform, this data mids for analyte nust be no marked by the second by the se	outfall through nation report ust comply we see not address ore than four RAGE DAILY Units ANALYTIC METHOI	gh whited mustith QA ssed by and or VALUE	ch effluent is st be based on da /QC requirements y 40 CFR Part 136 ne-half years apa
padis co of At Ou OH (Minin OH (Max Flow Ran * F	rameters. Provischarged. Do in illected through 40 CFR Part 1: a minimum, effutfall number: PARAME PARAME mum) imum) te ature (Winter) or pH please re POLLUTANT	NONCONVE	icated effluinformatio conducted er appropria g data mu 6.6 7.9 0.0 N/ num and a MAX DI: Conc.	MAXIN Value 89 017 A MAXIMUM DA SCHARGI	ng required in the second of t	red by the per ewer overflow rt 136 method ements for state teast three such transfer over the ewer overflow rt least three such transfer over the ewer over	rmitting authors in this sects. In additionandard methodamples and methoda	arity for each ion. All inform, this data mids for analyte nust be no mids. AVE BE CHARGE Number of Samples	outfall through mation report ust comply we see not address ore than four RAGE DAILY Units ANALYTIC METHOD	gh whited mustith QA ssed by and or VALUE	ch effluent is st be based on da /QC requirements y 40 CFR Part 136 ne-half years apa
pa dis co of At Ou	rameters. Provischarged. Do in illected through 40 CFR Part 1: a minimum, effected in inches in	ride the indinot include in analysis of the indinot include includ	icated effluinformatio conducted er appropria g data mu 6.6 7.9 0.0 N/ num and a MAX DI: Conc.	MAXIN Value 89 017 A MAXIMUM DA SCHARGI	ng required in the second of t	red by the per ewer overflow rt 136 method ements for state teast three such transfer over the ewer overflow rt least three such transfer over the ewer over	rmitting authors in this sects. In additionandard methodamples and methoda	arity for each ion. All inform, this data mids for analyte nust be no mids. AVE BE CHARGE Number of Samples	outfall through mation report ust comply we see not address ore than four RAGE DAILY Units ANALYTIC METHOD	gh whited mustith QA ssed by and or VALUE	ch effluent is st be based on da /QC requirements y 40 CFR Part 136 ne-half years apa

2A YOU MUST COMPLETE

Hiway MHC STP VPDES VA0074942

Form Approved 1/14/99 OMB Number 2040-0086

BA	DIC	APPLICATION INFORMATION
PAR	T B.	ADDITIONAL APPLICATION INFORMATION FOR APPLICANTS WITH A DESIGN FLOW GREATER THAN OR EQUAL TO 0.1 MGD (100,000 gallons per day).
All a	pplica	ants with a design flow rate ≥ 0.1 mgd must answer questions B.1 through B.6. All others go to Part C (Certification).
B.1.		ow and Infiltration. Estimate the average number of gallons per day that flow into the treatment works from inflow and/or infiltration. 0 gpd efly explain any steps underway or planned to minimize inflow and infiltration.
B.2.	Thi	pographic Map. Attach to this application a topographic map of the area extending at least one mile beyond facility property boundaries. Is map must show the outline of the facility and the following information. (You may submit more than one map if one map does not show entire area.)
	a.	The area surrounding the treatment plant, including all unit processes.
	b.	The major pipes or other structures through which wastewater enters the treatment works and the pipes or other structures through which treated wastewater is discharged from the treatment plant. Include outfalls from bypass piping, if applicable.
	C.	Each well where wastewater from the treatment plant is injected underground.
	d.	Wells, springs, other surface water bodies, and drinking water wells that are: 1) within 1/4 mile of the property boundaries of the treatment works, and 2) listed in public record or otherwise known to the applicant.
	e.	Any areas where the sewage sludge produced by the treatment works is stored, treated, or disposed.
	f.	If the treatment works receives waste that is classified as hazardous under the Resource Conservation and Recovery Act (RCRA) by truck, rail, or special pipe, show on the map where that hazardous waste enters the treatment works and where it is treated, stored, and/or disposed.
B.3.	back chlo	cess Flow Diagram or Schematic. Provide a diagram showing the processes of the treatment plant, including all bypass piping and all cup power sources or redundancy in the system. Also provide a water balance showing all treatment units, including disinfection (e.g., rination and dechlorination). The water balance must show daily average flow rates at influent and discharge points and approximate daily rates between treatment units. Include a brief narrative description of the diagram.
B.4.	Оре	ration/Maintenance Performed by Contractor(s).
		any operational or maintenance aspects (related to wastewater treatment and effluent quality) of the treatment works the responsibility of a ractor?YesYes
		s, list the name, address, telephone number, and status of each contractor and describe the contractor's responsibilities (attach additional es if necessary).
	Nam	ne:
	Mail	ing Address:
	Tele	phone Number:
	Res	consibilities of Contractor:
B.5.	unco	eduled Improvements and Schedules of Implementation. Provide information on any uncompleted implementation schedule or impleted plans for improvements that will affect the wastewater treatment, effluent quality, or design capacity of the treatment works. If the ment works has several different implementation schedules or is planning several improvements, submit separate responses to question for each. (If none, go to question B.6.)
	a.	List the outfall number (assigned in question A.9) for each outfall that is covered by this implementation schedule.
	b.	Indicate whether the planned improvements or implementation schedule are required by local, State, or Federal agencies. Yes✓_No

Form	Approve	d 1/14/99
OMB	Number	2040-0086

Hiway MHC STP VPDES VA0074942					OMB Number 2040-0086		
c If the answer to B.5	c If the answer to B.5.b is "Yes," briefly describe, including new maximum daily inflow rate (if applicable).						
	provements plan	ned independent	ly of local, State			nentation steps listed planned or actual com	
		Schedule	A	ctual Completio	n		
Implementation Sta	age	MM / DD / Y	YYYY MI	YYY MM / DD / YYYY			
 Begin construction 							
 End construction 				_//			
 Begin discharge 	– Begin discharge						
 Attain operationa 	il level	//		_//			
e. Have appropriate p	nermits/clearance	es concernina oth	er Federal/State	requiremente	been obtained?	Yes	No
Describe briefly:		•		•		; CO	_140
booding bridly.							
overflows in this section methods. In addition, to standard methods for a pollutant scans and mu. Outfall Number: POLLUTANT	his data must co analytes not addu ast be no more th ————————————————————————————————————	omply with QA/QC ressed by 40 CFF	Prequirements of Part 136. At a half years old.	of 40 CFR Part	136 and other ap ent testing data	propriate QA/QC req	uirements for
	Conc.	Units	Conc.	Units	Number of Samples	ANALYTICAL METHOD	ML / MDL
CONVENTIONAL AND NON	CONVENTIONA	L COMPOUNDS	in the activities and considerates				
AMMONIA (as N)							
CHLORINE (TOTAL RESIDUAL, TRC)	þ.						
DISSOLVED OXYGEN							
TOTAL KJELDAHL			×				
NITROGEN (TKN) NITRATE PLUS NITRITE						· · · · · · · · · · · · · · · · · · ·	
NITROGEN							
OIL and GREASE							
PHOSPHORUS (Total)							
TOTAL DISSOLVED SOLIDS (TDS)							
OTHER			***************************************				

END OF PART B.

REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM

2A YOU MUST COMPLETE

FACILITY NAME AND PERMIT NUMBER:

FACILITY NAME AND PERMIT NUMBER:				orm Approved 1/14/99 MB Number 2040-0086	
Hiway MHC STP VPDES VA0074942			<u>.</u>	20 10 10 0000	
BASIC APPLIC	ATION INFORMAT	TION			
PART C. CERTIFICA	TION				
applicants must completed and are	te all applicable sections of F	form 2A, as explained in the A certification statement, applica	rmine who is an officer for the purposes o pplication Overview. Indicate below which ints confirm that they have reviewed Form	n parts of Form 2A you	
Indicate which parts o	f Form 2A you have comple	eted and are submitting:			
Basic Appli	cation Information packet	Supplemental Application	Supplemental Application Information packet:		
		Part D (Expanded	Effluent Testing Data)		
		Part E (Toxicity To	esting: Biomonitoring Data)		
		Part F (Industrial	User Discharges and RCRA/CERCLA Wa	istes)	
		Part G (Combined	l Sewer Systems)		
ALL APPLICANTS MU	ST COMPLETE THE FOLLO	OWING CERTIFICATION.			
designed to assure that who manage the system	qualified personnel properly n or those persons directly read nd complete. I am aware that	gather and evaluate the inform sponsible for gathering the inf	I under my direction or supervision in accordantion submitted. Based on my inquiry of prmation, the information is, to the best of a for submitting false information, including	the person or persons my knowledge and	
Name and official title	Matthew E. Raynor / En	vironmental Director			
Signature	Worter. V				
Telephone number	(919) 960-5739				
Date signed	05/17/2012			_	
	mitting authority, you must su		cessary to assess wastewater treatment p	practices at the treatment	

SEND COMPLETED FORMS TO:

FACILITY NAME: Hiway MHC STP VPDES PERMIT NUMBER: VA0074942 VPDES SEWAGE SLUDGE PERMIT APPLICATION FORM

SCREENING INFORMATION

This application is divided into sections. Sections A pertain to all applicants. The applicability of Sections B, C and D depend on your facility's sewage sludge use or disposal practices. The information provided on this page will help you determine which sections to fill out.

- 1. All applicants must complete Section A (General Information).
- 2. Will this facility generate sewage sludge? X Yes_No

Will this facility derive a material from sewage sludge? __Yes _XNo

If you answered Yes to either, complete Section B (Generation Of Sewage Sludge Or Preparation Of A Material Derived From Sewage Sludge).

3. Will this facility apply sewage sludge to the land? __Yes _XNo

Will sewage sludge from this facility be applied to the land? Yes XNo

If you answered No to both questions above, skip Section C.

If you answered Yes to either, answer the following three questions:

- a. Will the sewage sludge from this facility meet the ceiling concentrations, pollutant concentrations, Class A pathogen reduction requirements and one of the vector attraction reduction requirements 1-8, as identified in the instructions?
 Yes __No
- b. Will sewage sludge from this facility be placed in a bag or other container for sale or give-away for application to the land? __Yes __No
- c. Will sewage sludge from this facility be sent to another facility for treatment or blending? __Yes __No

If you answered No to all three, complete Section C (Land Application Of Bulk Sewage Sludge).

If you answered Yes to a, b or c, skip Section C.

4. Do you own or operate a surface disposal site? Yes X No

If Yes, complete Section D (Surface Disposal).

VPDES PERMIT NUMBER:

VA0074942

SECTION A. GENERAL INFORMATION

All applicants must complete this section.

a.	ility Information.
cc.	Facility name: HIWAY MHC STP
b.	Contact person: Matthew Raynor
	Title: Environmental Director
	Phone: (919) 960-5739
c.	Mailing address:
	Street or P.O. Box: 10006 Hammock Bend
	City or Town: Chapel Hill State: NC Zip: 27517
d.	Facility location:
	Street or Route #: 14489 James Monroe Hwy., Lucketts, VA
	County: Loudoun
	County: Loudoun City or Town: State: VA Zip: 20176
e.	Is this facility a Class I sludge management facility? Yes XNo
f.	Facility design flow rate: 0.012 mgd
g.	Total population served:
h.	Indicate the type of facility:
11.	Publicly owned treatment works (POTW)
	X Privately owned treatment works
	Federally owned treatment works
	Blending or treatment operation
	Surface disposal site Other (describe):
a. b.	Applicant name: SAME Mailing address: Street or P.O. Box: State: Zip: Contact person:
U.	Contact person.
	Title:
đ.	Title: Phone: ()
d.	Title: Phone: () Is the applicant the owner or operator (or both) of this facility?
d. e.	Title: Phone: ()
e.	Title: Phone: () Is the applicant the owner or operator (or both) of this facility? X owner operator Should correspondence regarding this permit be directed to the facility or the applicant? (Check one)
e. Peri	Phone: () Is the applicant the owner or operator (or both) of this facility? owner operator Should correspondence regarding this permit be directed to the facility or the applicant? (Check one) facility applicant
e. Peri	Title:
e. Perra	Phone: ()
e. Perra	Title:
e. Perra	Phone: ()
e. Perra	Phone: ()
e. Perra	Phone: ()
e. Peri a. b.	Phone: ()

FA	CILITY NAME: VPDES PERMIT NUMBER:						
4.	Indian Country. Does any generation, treatment, storage, application to land or disposal of sewage sludge from this facility occur in Indian Country? Yes NoIf "Yes", describe:						
5.	 Topographic Map. Provide a topographic map or maps (or other appropriate maps if a topographic map is unavailable) that shows the following information. Maps should include the area one mile beyond all property boundaries of the facility: a. Location of all sewage sludge management facilities, including locations where sewage sludge is generated, stored, treated, or disposed. b. Location of all wells, springs, and other surface water bodies listed in public records or otherwise known to the 						
6.	applicant within 1/4 mile of the property boundaries. Line Drawing. Provide a line drawing and/or a narrative description that identifies all sewage sludge processes that will be employed during the term of the permit including all processes used for collecting, dewatering, storing, or treating sewage sludge, the destination(s) of all liquids and solids leaving each unit, and all methods used for pathogen reduction and vector attraction reduction.						
7.	Contractor Information. Are any operational or maintenance aspects of this facility related to sewage sludge generation, treatment, use or disposal the responsibility of a contractor? YesX_ No						
	If "Yes", provide the following for each contractor (attach additional pages if necessary).						
	Name:						
	Mailing address:						
	Street or P.O. Box:						
	City or Town: State:						
	Phone: ()						
	Contractor's Federal, State or Local Permit Number(s) applicable to this facility's sewage sludge:						
	If the contractor is responsible for the use and/or disposal of the sewage sludge, provide a description of the service to be provided to the applicant and the respective obligations of the applicant and the contractor(s).						
8.	Pollutant Concentrations. Using the table below or a separate attachment, provide sewage sludge monitoring data for the						

8. Pollutant Concentrations. Using the table below or a separate attachment, provide sewage sludge monitoring data for the pollutants which limits in sewage sludge have been established in 9 VAC 25-31-10 et seq. for this facility's expected use or disposal practices. All data must be based on three or more samples taken at least one month apart and must be no more than four and one-half years old.

POLLUTANT	CONCENTRATION (mg/kg dry weight)	SAMPLE DATE	ANALYTICAL METHOD	DETECTION LEVEL FOR ANALYSIS
Arsenic				
Cadmium				
Chromium				
Copper	·			
Lead				
Mercury				
Molybdenum				
Nickel				
Selenium				
Zinc				

VPDES PERMIT NUMBER: VA0074942

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Name and official title	Matthew Raynor, Enviro	nmental Direct	or
Signature	320	Date Signed	17 My 2012
Telephone number	919 960-5739		

Upon request of the department, you must submit any other information necessary to assess sewage sludge use or disposal practices at your facility or identify appropriate permitting requirements.

VPDES PERMIT NUMBER: VA0074942

SECTION B. GENERATION OF SEWAGE SLUDGE OR PREPARATION OF A MATERIAL DERIVED FROM SEWAGE SLUDGE

Complete this section if your facility generates sewage sludge or derives a material from sewage sludge

a.	osal, provide the following information for each facility from which sewage sludge is received. If you received ge sludge from more than one facility, attach additional pages as necessary. NA	ive
٠.	Facility name:	
b.	Contact Person:	
υ.	Title·	
	Title: Phone ()	
0	Mailing address:	
c.	Street or D.O. Dov	
	Street or P.O. Box: City or Town: State: Zip:	
.1	City of Town State Zip	
d.	racinty Address:	
	(not P.O. Box)	
e. f.	Total dry metric tons per 365-day period received from this facility: dry metric to Describe, on this form or on another sheet of paper, any treatment processes known to occur at the off-	
	facility, including blending activities and treatment to reduce pathogens or vector attraction characteri	,
	tment Provided at Your Facility.	
a.	Which class of pathogen reduction is achieved for the sewage sludge at your facility? Class A Class B XNeither or unknown	
b.	Describe, on this form or another sheet of paper, any treatment processes used at your facility to reduc	e
υ.		
0.		
0.	pathogens in sewage sludge: Waste Solids are aerobically digested then dewatered on a drying bed. M	
	pathogens in sewage sludge: <u>Waste Solids are aerobically digested then dewatered on a drying bed.</u> It is landfilled following dewatering.	<u> 1ater</u>
	pathogens in sewage sludge: Waste Solids are aerobically digested then dewatered on a drying bed. No is landfilled following dewatering. Which vector attraction reduction option is met for the sewage sludge at your facility? No evaluation processes the sewage sludge at your facility?	<u> 1ater</u>
	pathogens in sewage sludge: Waste Solids are aerobically digested then dewatered on a drying bed. No is landfilled following dewatering. Which vector attraction reduction option is met for the sewage sludge at your facility? No evaluation proposed in the proposed proposed in the sewage sludge at your facility? No evaluation proposed in the sewage sludge at your facility? No evaluation proposed in the sewage sludge at your facility?	<u> 1ater</u>
	pathogens in sewage sludge: Waste Solids are aerobically digested then dewatered on a drying bed. Mais landfilled following dewatering. Which vector attraction reduction option is met for the sewage sludge at your facility? No evaluation pure option 1 (Minimum 38 percent reduction in volatile solids) Option 2 (Anaerobic process, with bench-scale demonstration)	<u> 1ater</u>
	pathogens in sewage sludge: Waste Solids are aerobically digested then dewatered on a drying bed. M is landfilled following dewatering. Which vector attraction reduction option is met for the sewage sludge at your facility? No evaluation p Option 1 (Minimum 38 percent reduction in volatile solids) Option 2 (Anaerobic process, with bench-scale demonstration) Option 3 (Aerobic process, with bench-scale demonstration)	<u> 1ater</u>
	pathogens in sewage sludge:Waste Solids are aerobically digested then dewatered on a drying bed. No is landfilled following dewatering. Which vector attraction reduction option is met for the sewage sludge at your facility? No evaluation process option 1 (Minimum 38 percent reduction in volatile solids) Option 2 (Anaerobic process, with bench-scale demonstration) Option 3 (Aerobic process, with bench-scale demonstration) Option 4 (Specific oxygen uptake rate for aerobically digested sludge)	<u> 1ater</u>
	pathogens in sewage sludge: Waste Solids are aerobically digested then dewatered on a drying bed. M is landfilled following dewatering. Which vector attraction reduction option is met for the sewage sludge at your facility? No evaluation p Option 1 (Minimum 38 percent reduction in volatile solids) Option 2 (Anaerobic process, with bench-scale demonstration) Option 3 (Aerobic process, with bench-scale demonstration) Option 4 (Specific oxygen uptake rate for aerobically digested sludge) Option 5 (Aerobic processes plus raised temperature)	<u> 1ater</u>
с.	pathogens in sewage sludge: Waste Solids are aerobically digested then dewatered on a drying bed. No is landfilled following dewatering. Which vector attraction reduction option is met for the sewage sludge at your facility? No evaluation proproproproproproproproproproproproprop	<u> 1ater</u>
	pathogens in sewage sludge: Waste Solids are aerobically digested then dewatered on a drying bed. No is landfilled following dewatering. Which vector attraction reduction option is met for the sewage sludge at your facility? No evaluation pure option 1 (Minimum 38 percent reduction in volatile solids) Option 2 (Anaerobic process, with bench-scale demonstration) Option 3 (Aerobic process, with bench-scale demonstration) Option 4 (Specific oxygen uptake rate for aerobically digested sludge) Option 5 (Aerobic processes plus raised temperature) Option 6 (Raise pH to 12 and retain at 11.5) Option 7 (75 percent solids with no unstabilized solids)	<u> 1ater</u>
	pathogens in sewage sludge:Waste Solids are aerobically digested then dewatered on a drying bed. M is landfilled following dewatering. Which vector attraction reduction option is met for the sewage sludge at your facility? No evaluation pOption 1 (Minimum 38 percent reduction in volatile solids)Option 2 (Anaerobic process, with bench-scale demonstration)Option 3 (Aerobic process, with bench-scale demonstration)Option 4 (Specific oxygen uptake rate for aerobically digested sludge)Option 5 (Aerobic processes plus raised temperature)Option 6 (Raise pH to 12 and retain at 11.5)Option 7 (75 percent solids with no unstabilized solids)Option 8 (90 percent solids with unstabilized solids)	<u> 1ater</u>
c.	pathogens in sewage sludge:Waste Solids are aerobically digested then dewatered on a drying bed. M is landfilled following dewatering. Which vector attraction reduction option is met for the sewage sludge at your facility? No evaluation pOption 1 (Minimum 38 percent reduction in volatile solids)Option 2 (Anaerobic process, with bench-scale demonstration)Option 3 (Aerobic process, with bench-scale demonstration)Option 4 (Specific oxygen uptake rate for aerobically digested sludge)Option 5 (Aerobic processes plus raised temperature)Option 6 (Raise pH to 12 and retain at 11.5)Option 7 (75 percent solids with no unstabilized solids)Option 8 (90 percent solids with unstabilized solids)None or unknown	<u>Mater</u> provid
c.	pathogens in sewage sludge:Waste Solids are aerobically digested then dewatered on a drying bed. M is landfilled following dewatering. Which vector attraction reduction option is met for the sewage sludge at your facility? No evaluation pOption 1 (Minimum 38 percent reduction in volatile solids)Option 2 (Anaerobic process, with bench-scale demonstration)Option 3 (Aerobic process, with bench-scale demonstration)Option 4 (Specific oxygen uptake rate for aerobically digested sludge)Option 5 (Aerobic processes plus raised temperature)Option 6 (Raise pH to 12 and retain at 11.5)Option 7 (75 percent solids with no unstabilized solids)Option 8 (90 percent solids with unstabilized solids)	<u>Mater</u> orovio
	pathogens in sewage sludge:Waste Solids are aerobically digested then dewatered on a drying bed. M is landfilled following dewatering. Which vector attraction reduction option is met for the sewage sludge at your facility? No evaluation pOption 1 (Minimum 38 percent reduction in volatile solids)Option 2 (Anaerobic process, with bench-scale demonstration)Option 3 (Aerobic process, with bench-scale demonstration)Option 4 (Specific oxygen uptake rate for aerobically digested sludge)Option 5 (Aerobic processes plus raised temperature)Option 6 (Raise pH to 12 and retain at 11.5)Option 7 (75 percent solids with no unstabilized solids)Option 8 (90 percent solids with unstabilized solids)None or unknown Describe, on this form or another sheet of paper, any treatment processes used at your facility to reduce	<u>dater</u> rovid

FACILITY NAME: HIWAY MHC STP Yes XNo

VPDES PERMIT NUMBER: VA0074942

5.		or Give-Away in a Bag or Other Container for Application to the Land. NA
		olete this question if you place sewage sludge in a bag or other container for sale or give-away prior to land application. Skip this on if sewage sludge is covered in Question 4.)
	a.	Total dry metric tons per 365-day period of sewage sludge placed in a bag or other container at your facility
		for sale or give-away for application to the land: dry metric tons
	b.	Attach, with this application, a copy of all labels or notices that accompany the sewage sludge being sold or
		given away in a bag or other container for application to the land.
6.	Shipr	nent Off Site for Treatment or Blending. NA
		olete this question if sewage sludge from your facility is sent to another facility that provides treatment or blending. This question does
		ply to sewage sludge sent directly to a land application or surface disposal site. Skip this question if the sewage sludge is covered in ons 4 or 5. If you send sewage sludge to more than one facility, attach additional sheets as necessary.)
	a.	Receiving facility name:
	b.	Facility contact:
		Title:
		Phone: ()
	c.	Mailing address:
		Street or P.O. Box: City or Town: State: Zip:
	3	City or Town: State: Zip:
	d.	Total dry metric tons per 365-day period of sewage sludge provided to receiving facility: dry metric tons
	e.	List, on this form or an attachment, the receiving facility's VPDES permit number as well as the numbers of
		all other federal, state or local permits that regulate the receiving facility's sewage sludge use or disposal
		practices: <u>Permit Number:</u> <u>Type of Permit:</u>
		Type of Fermi.
	0	
	f.	Does the receiving facility provide additional treatment to reduce pathogens in sewage sludge from your facility?YesNo
		Which class of pathogen reduction is achieved for the sewage sludge at the receiving facility?
		Class AClass BNeither or unknown
		Describe, on this form or another sheet of paper, any treatment processes used at the receiving facility to
		reduce pathogens in sewage sludge:
	g.	Does the receiving facility provide additional treatment to reduce vector attraction characteristics of the
	ъ.	sewage sludge?YesNo
		Which vector attraction reduction option is met for the sewage sludge at the receiving facility?
		Option 1 (Minimum 38 percent reduction in volatile solids)
		Option 2 (Anaerobic process, with bench-scale demonstration)
		Option 3 (Aerobic process, with bench-scale demonstration)
		Option 4 (Specific oxygen uptake rate for aerobically digested sludge)
		Option 5 (Aerobic processes plus raised temperature) Option 6 (Raise pH to 12 and retain at 11.5)
		Option 7 (75 percent solids with no unstabilized solids)
		Option 8 (90 percent solids with unstabilized solids)
		None unknown
		Describe, on this form or another sheet of paper, any treatment processes used at the receiving facility to
		reduce vector attraction properties of sewage sludge:
	h.	Does the receiving facility provide any additional treatment or blending not identified in f or g above?
		YesNo
		If yes, describe, on this form or another sheet of paper, the treatment processes not identified in f or g above:

i. If you answered yes to f., g or h above, attach a copy of any information you provide to the receiving facility

VPDES PERMIT NUMBER: VA0074942

to comply with the "notice and necessary information" requirement of 9 VAC 25-31-530.G.

	j	Does the receiving facility place sewage sludge from your facility in a bag or other container for sale or give-away for application to the land?YesNo
	k.	If yes, provide a copy of all labels or notices that accompany the product being sold or given away. Will the sewage sludge be transported to the receiving facility in a truck-mounted watertight tank normally used for such purposes? Yes No. If no, provide description and specification on the vehicle used to transport the sewage sludge to the receiving facility. Show the haul route(s) on a location map or briefly describe the haul route below and indicate the days of the week and the times of the day sewage sludge will be transported
7.		Application of Bulk Sewage Sludge. NA
		olete Question 7.a if sewage sludge from your facility is applied to the land, unless the sewage sludge is covered in Questions 4, 5 or 6;
		ete Question 7.b, c & d only if you are responsible for land application of sewage sludge.)
	a.	Total dry metric tons per 365-day period of sewage sludge applied to all land application sites:dry metric tons
	b.	Do you identify all land application sites in Section C of this application?YesNo If no, submit a copy of the Land Application Plan (LAP) with this application (LAP should be prepared in accordance with the instructions).
	c.	Are any land application sites located in States other than Virginia?YesNo
		If yes, describe, on this form or on another sheet of paper, how you notify the permitting authority for the States where the land application sites are located. Provide a copy of the notification.
	d.	Attach a copy of any information you provide to the owner or lease holder of the land application sites to comply with the "notice and necessary" information requirement of 9 VAC 25-31-530 F and/or H (Examples may be obtained in Appendix IV).
8.	Surfa	ce Disposal. NA
	(Comp	plete Question 8 if sewage sludge from your facility is placed on a surface disposal site.)
	a.	Total dry metric tons per 365-day period of sewage sludge from your facility placed on all surface disposal sites: dry metric tons
	b.	Do you own or operate all surface disposal sites to which you send sewage sludge for disposal? YesNo
		If no, answer questions c - g for each surface disposal site that you do not own or operate. If you send
		sewage sludge to more than one surface disposal site, attach additional pages as necessary.
	c. d.	Site name or number:
	u.	Contact person: Title:
		Phone: ()
		Contact is:Site OwnerSite operator
	e.	Mailing address.
		Street or P.O. Box:
	f.	Total dry metric tons per 365-day period of sewage sludge from your facility placed on this surface disposal site: dry metric tons
	g.	List, on this form or an attachment, the surface disposal site VPDES permit number as well as the numbers of all other federal, state or local permits that regulate the sewage sludge use or disposal practices at the surface disposal site:
		Permit Number: Type of Permit:
_		
9.		eration. plete Question 9 if sewage sludge from your facility is fired in a sewage sludge incinerator.) ${ m NA}$

FACI	LITY NA	ME: <u>HIWAY MHC STP</u> VPDES PERMIT NUMBER: <u>VA007494</u> 2
	a.	Total dry metric tons per 365-day period of sewage sludge from your facility fired in a sewage sludge
	,	incinerator: dry metric tons
	b.	Do you own or operate all sewage sludge incinerators in which sewage sludge from your facility is fired?
		If no, answer questions c - g for each sewage sludge incinerator that you do not own or operate. If you send
		sewage sludge to more than one sewage sludge incinerator, attach additional pages as necessary.
	c.	Incinerator name or number:
	d.	Contact person:
	u,	Title:
		Phone: ()
		Phone: () Contact is:Incinerator OwnerIncinerator Operator
	e.	Mailing address
		Street or P.O. Box:
		Street or P.O. Box: City or Town: State: Zip:
	f.	Total dry metric tons per 365-day period of sewage sludge from your facility fired in this sewage sludge
		incinerator: dry metric tons
	g.	List on this form or an attachment the numbers of all other federal, state or local permits that regulate the
		firing of sewage sludge at this incinerator:
		Permit Number: Type of Permit:
10.	Dianaga	al in a Maniginal Calid Wagta Landfill
10.		al in a Municipal Solid Waste Landfill. te Question 10 if sewage sludge from your facility is placed on a municipal solid waste landfill. Provide the following information for
		nicipal solid waste landfill on which sewage sludge from your facility is placed. If sewage sludge is placed on more than one
		il solid waste landfill, attach additional pages as necessary.)
	a.	Landfill name: Loudoun County Landfill
	b.	Contact person: Richard Weber
		Title: <u>Director</u> , <u>LCOSWM</u>
		Phone: (703) 777-0187
		Contact is: X Landfill Owner Landfill Operator
	c.	Mailing address.
		Street or P.O. Box: 906 Trailview Blvd. SE, Suite B
		City or Town: Leesburg State: VA Zip: 20175
	d.	Landfill location.
		Street or Route #: 20939 Evergreen Mills Rd. (Approx 1/4 Mile S. of Leesburg)
		County: Loudoun City or Town: State: VA Zip:
		City or Town: State: VA Zip: Total dry metric tons per 365-day period of sewage sludge placed in this municipal solid waste landfill:
	e.	0.5 dry metric tons dry metric tons dry metric tons
	f.	List, on this form or an attachment, the numbers of all federal, state or local permits that regulate the
		operation of this municipal solid waste landfill:
		Permit Number: Type of Permit:
		SWP 001 DEQ Solid Waste Management Permit
	g.	Does sewage sludge meet applicable requirements in the Virginia Solid Waste Management Regulation, 9
		VAC 20-80-10 et seq., concerning the quality of materials disposed in a municipal solid waste landfill?
		X Yes No
	h.	Does the municipal solid waste landfill comply with all applicable criteria set forth in the Virginia Solid
		Waste Management Regulation, 9 VAC 20-80-10 et seq.? X Yes_No
	i.	Will the vehicle bed or other container used to transport sewage sludge to the municipal solid waste landfill
		be watertight and covered? _X Yes No
		Show the haul route(s) on a location map or briefly describe the route below and indicate the days of the
		week and time of the day sewage sludge will be transported. Waste Management accepts and transports.
		Material is double bagged and collected by Waste Management during daylight hours during routine collection at the MH6
		S on US 15 - 5.5 mi., bear left on US 15 Byp. S (4.3 mi.), take ramp R on US 15 S., Turn L on Evergreen Mills Rd.
		go 4.2 mi., Arrive at Landfill (20939 Evergreen Mills Rd.). Map attached. Hours are Mon-Sat 8:00 AM - 4:00 PM





